



## NG-AutoDigiMix – Automatic Programmable Mortar Mixer

**Standards:** [EN 196-1](#), [EN ISO 679](#), [EN 196-3](#), [EN 459-2](#), [EN 413-2](#), [EN 480-1](#), [ASTM C305](#), [ASTM C451](#)



**ULTIMATE USER-FRIENDLINESS**



**LEADING DEPENDABILITY AND RELIABILITY**



**STRICT COMPLIANCE WITH INDUSTRY STANDARDS**



**STOCKED CONSUMABLES AND SPARES**



**TRUSTED AFTER SALES TECHNICAL SUPPORT**



**LIFETIME PRODUCT SUPPORT ADVANTAGE**

### Description

Strong and exceptional equipment for mixing cement mortars efficiently. This table mounted mortar mixer comes with planetary mixing action, as well as easily fitted and removable bowl and beater. In line with CE requirements, the machine stops immediately for operator protection once the front grill is opened. The machine comes with an open-type sand hopper and EN beater, as well as a stainless steel bowl. One of its great features includes a seamless and dedicated keyboard control and display. It has offers options for selecting either user defined speeds or Standard speeds (it can be regulated during mixing too). It is programmed to carry out mixing in line with Standards, making it easy to pour in sand manually during mixing through the top filling hopper. Machine can be wholly delivered as fast as possible on request, with a sand open-type hopper for adding other things like additives or admixtures etc.



**GET A QUOTE**



## NG-AutoDigiMix - Automatic Programmable Mortar Mixer Main Features

1. Comes with an open-type sand hopper and EN beater, as well as a stainless steel bowl.
2. Its operated by an easily usable in-built software
3. Digital mixer, user-friendly interface with functional alphanumeric display 2 x 16 characters and keyboard
4. Installed with procedures that conform to standards, this procedures guide the operator during the mixture, it also makes it possible to pour in sand manually
5. Continuously variable speed (VFD Variable frequency drive technology)
6. Adjustable and easily selectable speeds (user defined or standard speeds)
7. Depending on the consistency of the mix, the Blade/Planetary speeds can be modified from 30/13 to 380/165 rpm
8. Bowl mounting device
9. 3-points bowl supporting system that allows accurate modification of the space between the beater and bowl.
10. Capability to recall the users prior mixing procedure or create new ones
11. Micro-switch that stops the machine from starting if the bowl is not in place as well as an emergency stop button.
12. Meeting the requirements of CE

### NG-AutoDigiMix - Automatic Programmable Mortar Mixer Technical Specifications

NG-AutoDigiMix	
Planetary speeds	62 and 125 rpm or user defined
Beater speed	140 and 285 rpm or user defined



<b>NG-AutoDigiMix</b>	
<b>Bowl capacity</b>	5 litres
<b>Alphanumeric display</b>	2 x 16 characters
<b>Power</b>	370 W
<b>Overall dimensions</b>	18.5" x 21.25" x 24.5" / 465x540x620 mm (l x d x h).
<b>Weight</b>	78 lbs. / 35 kg.

**GET A QUOTE**