



GenGrind FA-IC 250D 10" Dual Wheel Fully Automatic Grinder & Polisher – Variable Speed 100-1400rpm – Both Individual and Central Force Control – Touch Screen Controlled with Automatic Specimen Mover Power Head – (various wheel sizes available)



ULTIMATE USER-FRIENDLINESS



LEADING DEPENDABILITY AND RELIABILITY



STRICT COMPLIANCE WITH INDUSTRY STANDARDS



STOCKED CONSUMABLES AND SPARES



TRUSTED AFTER SALES TECHNICAL SUPPORT




LIFETIME PRODUCT SUPPORT ADVANTAGE



Description

Introducing the GenGrind FA-IC 250D Dual Wheel Polisher and Grinder, an advanced and fully automatic [metallographic grinding and polishing](#) machine. This state-of-the-art equipment seamlessly integrates pre-grinding, grinding, and polishing processes to deliver exceptional results.

Controlled through a user-friendly touch screen interface, the GenGrind FA-IC features a DC brushless motor driving the grinding and polishing plate, while the grinding head is efficiently powered by a stepper motor. This design ensures stable rotation, low noise levels, and utmost safety and reliability during operation.



The machine allows users to customize various settings such as rotational speed, pressure, and sample preparation time according to their specific requirements. These adjustments are effortlessly made through the intuitive touch screen, enabling users to cater to different needs with ease.

Incorporating its own lighting system, the GenGrind FA-IC provides convenient sample handling and placement. Additionally, its cooling device effectively prevents overheating during grinding, safeguarding the integrity of the metallographic structure. This feature is particularly beneficial in preserving the quality of metallographic samples.

Whether in metallographic laboratories within factories, colleges, or research institutes, the GenGrind FA-IC Single Wheel Polisher and Grinder stands as the ultimate choice for precision grinding and polishing applications. Its cutting-edge capabilities and reliable performance make it the preferred solution for achieving impeccable metallographic results.



GenGrind FA-IC 250D Features

- Super cost-effective, offering outstanding value for money.
- Dual working plates with standard dimensions of 254mm, providing 50% more working area compared to regular grinding and polishing machines.
- Capable of polishing 6 pieces of 30mm diameter samples in a single operation, maximizing productivity.
- High-end ABS shell, giving it a sophisticated and modern appearance.
- User-friendly touch screen display for clear and intuitive interface, ensuring simple operation.
- Adjustable testing time, rotating speed, and pressure to suit specific needs.
- The grinding head is equipped with an electromagnetic clutch for convenient and quick operation, automatically locking when needed.
- Offers stepless speed regulation from 100 to 1400rpm or four constant speed options, with the ability to define three common speeds for pre-grinding, grinding, and polishing.
- Allows storage of up to 100 groups of grinding and polishing programs for quick recall and efficient workflow.
- Features a magnetic disc design for swift disc changes, enhancing the replacement of sandpaper and polishing cloth.
- Boasts a sample chuck with free-rotating design, complemented by an internal lighting system, ensuring ease in sample handling.
- Equipped with a built-in nozzle, sewage collection tank, and automatic cleaning, streamlining maintenance tasks.
- Utilizes DC brushless and stepper motors for stable rotation, low noise levels, and prolonged machine life.
- The base is made of a single-piece aluminum alloy material, offering lightweight construction, excellent shock absorption, and corrosion resistance.



7" Touch Screen User Friendly Control Display



GenGrind FA-IC 250D Technical Specifications

| Model | GenGrind FA-IC 250D |
|---|--|
| Working Plate | Standard Ø254mm with magnetic disc; 2.2KW |
| Speed of working plate | 100-1400 r/min stepless speed Support clockwise / anticlockwise direction rotating |
| Four level constant speeds (stepless speed) | V1=300r/min, V2=500r/min, V3=800r/min, V4=1000r/min (each speed can be set between 100-1400r/min) |
| Grinding head speed | 0-200r/min |
| Grinding head power | 0.2kW (clockwise rotation) |
| Grinding head lock mode | Automatic electronic lock |
| Sample holder | Standard Ø30mm 6 pieces of samples |
| Automatic mode | Can be programmed. Speed, running time and grinding wheel steering switch, with timing function |
| Samples pressure range | Center load: 0-150N (Commonly used 40-120N) Single point load: 0-90N |
| Pressure loading type | Single point pneumatic pressurization + Central pressure |
| Pressure adjustment | Digital voltage regulation |
| Timing function | 0-99 minutes |
| Power Supply | AC220V, 50/60Hz, 2.8kW |
| Dimensions | 30.31" x 28.74" x 27.56" / 770 x 730 x 700 mm |
| Weight | 220 lbs / 100 kg |

GenGrind FA-IC 250D Standard Configuration

- GenGrind FA-IC 250S Single Wheel Fully Automatic Grinder and Polisher with Individual and Central Pneumatic Force Control
- Grinding Plate 254mm
- Polishing Cloth with PSA (250mm) (4)
- Grinding Papers 400# (4)
- Grinding Papers 800# (4)
- Grinding Paper 1200# (4)

•



NEXTGEN
MATERIAL TESTING

YOUR QUALITY TESTING CHOICE

- Waterproofing Ring (On Machine)
- Paper Disc
- Magnetic Disc
- Water Inlet Hose 0.75"
- Water Outlet Hose 32mm
- Power Line and Operational Manual



Specimen Sample Examples

* Request a [formal quotation](#) or send an e-mail to sales@nextgentest.com for the most up-to-date pricing and applicable discounts and incentives.

NORTH AMERICA (CORPORATE HEADQUARTERS): 170-422 Richards St., Vancouver, BC, V6B 2Z4 Canada

CALIFORNIA: 3503 Jack Northrop Ave., Suite # AF937, Hawthorne, CA 90250

Toll Free: +1 (888) 332-3582 | Fax: +1 905 247-0555 | www.nextgentest.com